

# **FLEZONAC®-TP TABLETS**

Aceclofenac I.P. 100 mg + Paracetamol I.P. 325 mg +  
Thiocolchicoside I.P. 4 mg

"Triple Action Relief – Pain ● Inflammation ● Spasm"

**Marketed by:** Human Orthocare

A Subsidiary of Human Biolife India Pvt. Ltd.

[www.humanorthocare.com](http://www.humanorthocare.com)






# Product Overview

## Composition (per tablet):

- Aceclofenac I.P. – 100 mg
- Paracetamol I.P. – 325 mg
- Thiocolchicoside I.P. – 4 mg

## Key Features:

- NSAID + Analgesic + Muscle Relaxant
- Provides **comprehensive relief in musculoskeletal conditions**
- Rapid onset & sustained effect
- Improves compliance with single-tablet triple therapy



# Mechanism of Action



## ***Aceclofenac:***

Potent COX-2 selective NSAID → reduces prostaglandins → strong anti-inflammatory & analgesic



## ***Paracetamol:***

Central COX inhibition → enhances analgesia & antipyresis



## ***Thiocolchicoside:***

GABA agonist → reduces muscle hyperactivity & spasm

☀ Result → Complete relief from pain, inflammation & spasm



# Indications (Ortho Focused)

💡 Flezonac®-TP Tablets are recommended for:

- **Acute low back pain & cervical spondylosis with spasm**
- **Sciatica & radiculopathy with stiffness**
- **Osteoarthritis & rheumatoid arthritis with painful spasm**
- **Post-traumatic & post-surgical musculoskeletal conditions**
- **Sports injuries with pain & muscle spasm**

# Clinical Advantages

★ Key Benefits of Flezonac®-TP:

## Triple-action therapy

→ Pain + Inflammation + Spasm

## Superior efficacy

vs NSAID or relaxant alone

## Reduces stiffness

& improves mobility

## Enhances physiotherapy

& rehabilitation outcomes

## Convenient single-pill therapy

# Comparison with Standard Therapy

Parameter	Flezonac®-TP (Aceclo+PCM+TCC)	Aceclo+PCM	Diclo+TCC
Pain Relief	✓ Strong	✓ Moderate	✓ Strong
Anti-inflammatory	✓ Strong (Aceclo)	✓ Yes	✓ Yes
Spasm Control	✓ Yes (TCC)	✗ No	✓ Yes
Sedation	✓ Minimal	✓ None	⚠ Moderate
Compliance	✓ High	⚠ Moderate	⚠ Moderate



# Dosage & Administration

## Dosage:

- 1 Tablet **twice daily** after meals
- Or as directed by physician

- ⚠️ Use lowest effective dose for shortest duration
- ⚠️ Not recommended for long-term continuous use



# Safety & Tolerability

## Generally Well-Tolerated

### Possible side effects:

- GI irritation, nausea (NSAID-related)
- Drowsiness, dizziness (rare with TCC)

### Contraindications:

- Active peptic ulcer/GI bleed
- Pregnancy & lactation (TCC contraindicated in 3rd trimester)
- Severe hepatic/renal impairment





## Why Prescribe Flezonac<sup>®</sup>-TP?

 Doctor's Choice For:

Comprehensive relief from pain +  
inflammation + spasm

Superior compliance vs multiple drug  
prescriptions

Effective in both acute & chronic ortho  
conditions

Supports better patient rehabilitation & mobility

Backed by *Human Orthocare* trusted ortho formulations



## Contact Us

Step into care that moves you forward.

Use with clinical discretion, especially in high-risk orthopedic conditions.

**HumAn Orthocare** – A Subsidiary of Human Biolife India Pvt. Ltd.

**For medical queries or collaboration:**

 [www.humanorthocare.com](http://www.humanorthocare.com)