

INDOSPEED TABLETS

Indomethacin I.P. 75 mg

"Fast Relief, Strong Recovery"

Marketed by: Human Orthocare
A Subsidiary of Human Biolife India Pvt. Ltd.

www.humanorthocare.com



Product Overview

Composition (per tablet):

Indomethacin I.P.

75 mg

Key Features:

- Potent **non-steroidal anti-inflammatory drug (NSAID)**
- Strong anti-inflammatory & analgesic effect
- Rapid relief in **acute pain, stiffness & swelling**
- Trusted therapy for ortho, trauma & rheumatology practice



Mechanism of Action



COX Inhibition

Potent inhibitor of cyclo-oxygenase (COX-1 & COX-2)



Prostaglandin Reduction

Reduces prostaglandin synthesis



Anti-inflammatory Effect

Decreases inflammation, pain & fever

☑️ 🌟 Result

Rapid pain relief, reduced swelling & improved mobility

Indications

💡 Indospeed Tablets are recommended for:

Arthritis Conditions

- Osteoarthritis & rheumatoid arthritis
- Ankylosing spondylitis
- Acute gouty arthritis

Trauma & Surgery

- Post-traumatic inflammation & oedema
- Post-operative orthopaedic pain

Pain Disorders

- Musculoskeletal pain disorders



Clinical Advantages

☀️ Key Benefits of Indospeed:



Superior Potency

Potent anti-inflammatory → stronger efficacy vs many NSAIDs



Steroid Sparing

Reduces need for higher-dose steroids in acute flares



Specialised Efficacy

Effective in acute gouty arthritis & spondylitis



Professional Trust

Trusted in orthopaedic & rheumatology practice



Improved Mobility

Improves stiffness & mobility in arthritis patients

Comparison with Other NSAIDs

Parameter	Indospeed (Indomethacin)	Diclofenac	Ibuprofen
Anti-inflammatory Power	✓ Very High	✓ High	⚠ Moderate
Analgesic Effect	✓ Strong	✓ Strong	✓ Mild-Moderate
Gout Efficacy	✓ Excellent	⚠ Limited	✗ Poor
Ortho & Trauma Use	✓ Preferred	✓ Common	⚠ Less Used

Wellbeing First

Dosage & Administration



Standard Dosage

75 mg once or twice daily after meals

Adjusted based on severity & physician's advice

Dosage Instructions



! Important Guidelines

- Use lowest effective dose for shortest duration
- Take with food/milk to minimise gastric irritation



⊗ **Safety First**

Always consult healthcare professionals before use and monitor for adverse effects during treatment.

Safety & Tolerability

🔍 Common Side Effects:

- Gastric irritation, nausea, headache
- Rare: dizziness, GI bleed (dose-dependent)

🚫 Contraindications:

- Active peptic ulcer/GI bleed
- Severe hepatic/renal impairment
- Cardiovascular disease risk (long-term use caution)
- Pregnancy & lactation



Why Prescribe Indospeed?

 Doctor's Choice For:

Triple Action

Potent NSAID for **pain + inflammation + stiffness**

Acute Conditions

Rapid relief in **acute gout & spondylitis**

Specialist Practice

Effective in **ortho, trauma & rheumatology practice**

Trusted Brand

Trusted formulation from Human Orthocare



Contact Us

Step into care that moves you forward.

Use with clinical discretion, especially in high-risk orthopedic conditions.

HumAn Orthocare – A Subsidiary of Human Biolife India Pvt. Ltd.

For medical queries or collaboration:

 www.humanorthocare.com