

RAFDONAC® 4X GEL

Diclofenac Diethylamine 4.64% w/w + Linseed Oil 3% w/w + Methyl Salicylate 10% w/w + Menthol 5% w/w


"4X Relief - Pain, Swelling, Stiffness, Mobility"

Marketed by: Human Orthocare

A Subsidiary of Human Biolife India Pvt. Ltd.

www.humanorthocare.com





Product Overview



Composition (per 30 g pack):

Diclofenac Diethylamine B.P.

4.64% w/w

Linseed Oil B.P.

3.0% w/w

Methyl Salicylate B.P.


10% w/w

Menthol

5% w/w

Key Features:

- Combines NSAID + counterirritant + antiinflammatory oils
- Provides rapid pain relief + local antiinflammatory action
- Non-greasy, quick absorption formula
- Targeted relief at site of pain



Mechanism of Action





Diclofenac Diethylamine

Inhibits prostaglandin synthesis - reduces inflammation & pain

A

Linseed Oil

Anti-inflammatory, improves penetration of actives

0

Methyl Salicylate

Counterirritant → enhances local blood flow, relieves stiffness

40


Menthol

Cooling effect, reduces irritation & provides soothing comfort

Result → 4X action on pain, swelling, stiffness & mobility

Indications





Rafdonac® 4X Gel is recommended for:

- Osteoarthritis & rheumatoid arthritis
- Low back pain & cervical spondylosis
- Musculoskeletal sprains & strains
- Sports injuries & tendonitis
- Post-traumatic joint & muscle pain



Clinical Advantages

Key Benefits of Rafdonac® 4X Gel:



Quick Relief

Quick relief from localised pain & inflammation



Improved Mobility

Reduces stiffness, swelling & improves mobility



Systemic Safety

Avoids systemic side effects of oral NSAIDs



Patient-Friendly

Non-greasy, fast-absorbing, patient-friendly formula



Long-Term Use

Ideal for long-term & elderly patients



Comparison with Oral NSAIDs

Localised Action

Parameter

Systemic Side Effects

Pain Relief

GI Safety

Long-Term Use

Rafdonac® 4X Gel (Topical)

High

Minimal

Rapid

Excellent

Safe

Oral NSAIDs

X Low

X High

Yes

X Poor

1 Limited



Dosage & Administration



Application:



Apply 2-4 g gel

To affected area 3–4 times daily



Massage gently

Until completely absorbed

Important Precautions:

- Do not apply on broken skin or open wounds
- Avoid contact with eyes & mucous membranes

Safety & Tolerability

- Generally Well-Tolerated

 Possible side effects (rare):
 - Mild skin irritation
 - Redness
 - Itching

Contraindications:

- Hypersensitivity to NSAIDs or salicylates
- Avoid in patients with aspirin-sensitive asthma
- Not recommended in pregnancy & lactation (prolonged use)







Why Prescribe Rafdonac® 4X Gel?

Doctor's Choice For:



4X Action

Pain, swelling, stiffness & mobility



Potent Effect

Topical anti-inflammatory & analgesic effect

Safer Option

For elderly & comorbid patients



Specialist Care

Ideal for ortho, sports medicine & trauma care

Trusted Quality

Backed by **Human Orthocare** trusted quality





Contact Us

Step into care that moves you forward.

Use with clinical discretion, especially in high-risk orthopedic conditions.

HumAn Orthocare – A Subsidiary of Human Biolife India Pvt. Ltd.

For medical queries or collaboration:



www.humanorthocare.com