

## RAFDONAC® SPRAY

Diclofenac Diethylamine I.P. 1.16% (eq. to Diclofenac Sodium 1%) + Methyl Salicylate I.P. 10% + Linseed Oil B.P. 3% + Menthol I.P. 5%

"Spray the Pain Away - Fast Relief from Pain & Inflammation"

Marketed by: Human Orthocare

A Subsidiary of Human Biolife India Pvt. Ltd.

www.humanorthocare.com







### **Product Overview**

### Composition (per spray):

- Diclofenac Diethylamine I.P. 1.16%
  (eq. to Diclofenac Sodium 1%)
- Methyl Salicylate I.P. 10%
- Linseed Oil B.P. 3%
- Menthol I.P. 5%

### **Key Features:**

- Topical NSAID spray with counterirritant effect
- Rapid relief in musculoskeletal pain & swelling
- Non-greasy, fast-drying, convenient application
- Effective for ortho, trauma & sports injuries



### **Mechanism of Action**



#### Diclofenac



#### Methyl Salicylate + Menthol

Methyl Salicylate + Menthol:
 Counterirritant → cooling-warming sensation, distracts pain signals



#### **Linseed Oil**

Linseed Oil: Anti-inflammatory, penetrates deeper tissues

\*\* Result → Fast, targeted relief from pain, inflammation & stiffness



## Indications (Ortho Focused)

- **Q** Rafdonac® Spray is recommended for:
- Osteoarthritis & rheumatoid arthritis joint pain
- Cervical & lumbar spondylosis stiffness
- Musculoskeletal pain & trauma
- Post-traumatic swelling & inflammation
- Sports injuries sprains, strains, tendonitis
- Localised muscle & joint pain



## **Clinical Advantages**

\* Key Benefits of Rafdonac® Spray:

Quick-action topical NSAID formulation

Combines anti-inflammatory + counterirritant actions

Easy to apply, dries quickly, nonmessy

**Enhances mobility & rehabilitation outcomes** 

Safer alternative or add-on to oral NSAIDs



## Comparison with Other Topical Formulations

#### **Parameter**

Absorption Speed

Anti-inflammatory

Cooling Effect

Application

Compliance

#### **Rafdonac® Spray**

✓ Fast

Yes

Yes (Menthol)

✓ Spray (no rub)

High

#### **Diclofenac Gel**

Slower

Yes

X No

X Requires rub

Moderate

#### **Counterirritant Balm**

✓ Fast

X No

Yes

X Oily, messy

Moderate



# Dosage & Administration

### Application:

- Spray **2–3 times daily** on affected area
- Hold 5–8 cm away, allow to dry
- Do not rub or massage

Avoid contact with eyes, mucous membranes & broken skin







# **Safety & Tolerability**



Generally Well-Tolerated

#### Possible mild effects:

- Cooling/burning sensation
- Local redness or itching (rare)

### **O** Contraindications:

- Hypersensitivity to NSAIDs or salicylates
- Damaged or eczematous skin at site of application





### Why Prescribe Rafdonac® Spray?

**Octor's Choice For:** 

Rapid topical pain & inflammation relief

Convenient spray → better patient compliance

Effective in arthritis, trauma & sports-related pain

Safer vs long-term oral NSAIDs

Backed by Human Orthocare trusted ortho brand





# Contact Us

Step into care that moves you forward.

Use with clinical discretion, especially in high-risk orthopedic conditions.

HumAn Orthocare – A Subsidiary of Human Biolife India Pvt. Ltd.

For medical queries or collaboration:



www.humanorthocare.com