

RAFDONAC[®]-SP TABLETS

Diclofenac Potassium 50 mg + Paracetamol 325 mg +
Serratiopeptidase 10 mg

Triple Power: Pain, Inflammation, Edema Control

Marketed by: Human Orthocare

A Subsidiary of Human Biolife India Pvt. Ltd.

www.humanorthocare.com





Product Overview



Composition (per tablet):

Diclofenac Potassium I.P.

50 mg

NSAID for pain and inflammation

Paracetamol I.P.

325 mg

Analgesic and antipyretic

Serratiopeptidase I.P.

10 mg

Proteolytic enzyme

Key Features:

- NSAID + Analgesic + Proteolytic Enzyme
- Reduces **pain, inflammation & tissue oedema**
- Enhances tissue healing & recovery
- Effective in acute & chronic painful inflammatory conditions

Mechanism of Action



Diclofenac Potassium

Inhibits COX → ↓ prostaglandins → reduces pain & inflammation



Paracetamol

Central analgesic & antipyretic action



Serratiopeptidase

Proteolytic enzyme → breaks down inflammatory mediators → reduces oedema & accelerates healing



Result → Comprehensive relief in pain + swelling + stiffness



Indications

Rafdonac®-SP Tablets are recommended for:



- Acute musculoskeletal pain & trauma
- Osteoarthritis & rheumatoid arthritis
- Low back pain & cervical spondylosis
- Dental pain & post-extraction swelling
- ENT infections with painful inflammation
- Post-operative pain & oedema

Clinical Advantages

Key Benefits of Rafdonac®-SP:



Triple-action Formula

Pain + inflammation + oedema control in one comprehensive solution



Patient Compliance

Enhances patient comfort & treatment adherence



Faster Recovery

Enhanced healing in post-traumatic & post-operative cases



Multi-specialty Use

Widely prescribed in orthopaedic, dental, surgical & ENT practice




Improved Mobility

Reduces swelling, stiffness & improves patient mobility

Comparison with Other NSAID Combinations

Parameter	Rafdonac®-SP (Diclo + PCM + SP)	Diclo + PCM	Diclo Alone
Pain Relief	✓ Strong	✓ Moderate	✓ Moderate
Anti-inflammatory	✓ Strong	✓ Moderate	✓ Moderate
Oedema Reduction	✓ Yes (SP)	✗ No	✗ No
Post-Op Use	✓ Excellent	⚠ Limited	⚠ Limited

Dosage & Administration



Standard Dosage

1

1 Tablet 2–3 times daily after meals

Or as prescribed by physician

Important Guidelines

2

Use lowest effective dose for shortest duration

Avoid alcohol & hepatotoxic drugs during therapy



Always follow physician's instructions for optimal therapeutic outcomes

Safety & Tolerability

Possible Side Effects:

Diclofenac

GI upset, nausea, rare GI bleeding

Paracetamol

Hepatotoxicity in overdose

Serratiopeptidase

Mild GI disturbance (rare)

Contraindications:

- Active peptic ulcer/GI bleeding
- Severe hepatic or renal impairment
- Hypersensitivity to NSAIDs or proteolytic enzymes
- Pregnancy & lactation (use with caution)

⊗ Always assess patient history before prescribing





Why Prescribe Rafdonac[®]-SP?

Doctor's Choice For:



Comprehensive Relief

Pain + swelling + oedema relief in one formulation



Rapid Onset

Quick action with diclofenac potassium



Enhanced Healing

Proteolytic enzyme for faster recovery



Multi-specialty Trust

Trusted across orthopaedic, dental, ENT, surgery



Reliable Quality

Backed by [Human Orthocare](#) excellence



**Human
Ortho Care**

A SUBSIDIARY OF HUMAN BIOLIFE INDIA PVT. LTD.

Contact Us

Step into care that moves you forward.

Use with clinical discretion, especially in high-risk orthopedic conditions.

HumAn Orthocare – A Subsidiary of Human Biolife India Pvt. Ltd.

For medical queries or collaboration:



www.humanorthocare.com