

TRACFAST-PR-400 TABLETS

Etodolac 400 mg


"Fast Pain Relief • Strong Anti-Inflammatory • Better Tolerability"

Marketed by: Human Orthocare

A Subsidiary of Human Biolife India Pvt. Ltd.

www.humanorthocare.com







Product Overview


Composition (per tablet):

Etodolac – 400 mg

Key Features:

- Potent NSAID with preferential COX-2 inhibition
- Provides rapid pain & inflammation relief
- Lower risk of gastric irritation compared to traditional NSAIDs
- Effective in acute & chronic orthopaedic conditions

Tracfast-PR-400 represents advanced NSAID therapy with enhanced safety profile, specifically designed for orthopaedic applications.





Mechanism of Action (Ortho Context)



Etodolac Action

Preferentially inhibits COX-2 → ↓ prostaglandins at site of inflammation



Gastric Protection

Preserves **COX-1** activity → maintains gastric mucosal protection



Clinical Result

Analgesic + anti-inflammatory + improved GI safety



Outcome - Strong pain relief + reduced swelling + better tolerance

Indications in Orthopaedics

Tracfast-PR-400 is recommended for:

Arthritis

Osteoarthritis & rheumatoid arthritis

Spinal Conditions

✓ Low back pain, cervical & lumbar spondylosis

Nerve Pain

Sciatica & radiculopathy with pain

Post-Traumatic

Post-traumatic inflammation (fractures, sprains, contusions)

Post-Operative

Post-operative pain & swelling

Chronic Disorders

Chronic musculoskeletal disorders





Clinical Advantages

** Why Ortho Patients Benefit:



Strong Relief

Strong relief in joint & musculoskeletal pain



Improved Outcomes

Improves mobility & rehabilitation outcomes



Better GI Safety

Better **GI safety** vs diclofenac/ibuprofen



Versatile Use

Suitable for both acute pain & chronic therapy



Long-Acting

Long-acting → reduced dosing frequency



Comparison with Other NSAIDs

Parameter	Tracfast-PR (Etodolac)	Diclofenac	Ibuprofen
COX-2 Selectivity	✓ Preferential	X Non-selective	X Non-selective
Pain & Inflammation	✓ Potent	✓ Potent	/ Moderate
GI Safety	✓ Better	A Risk	<u> </u> Moderate
Dosing Frequency	✓ Less Frequent	/ More	1 More
Ortho Suitability	Excellent	✓ Good	1 Limited

Tracfast-PR demonstrates superior profile across key parameters for orthopaedic applications

Dosage & Administration



Recommended in Ortho Patients:

Usual dose: 400 mg twice daily (after meals)
 Duration depends on severity & chronicity of condition

Notes:

- Use lowest effective dose for shortest duration
- Adjust dose in hepatic/renal impairment

Morning Dose 400 mg after breakfast As per clinical requirement

Evening Dose

400 mg after dinner





Safety & Tolerability



Gastric Safety

Lower gastric side effects vs traditional NSAIDs

Bleeding Risk

Less risk of platelet inhibition & bleeding

O Cautions:

- Avoid in severe hepatic/renal impairment
- Contraindicated in active peptic ulcer disease
- Use cautiously in cardiovascular risk patients
 - Always assess patient's medical history before prescribing





Why Ortho Surgeons / Physicians Prescribe Tracfast-PR?

S Doctor's Choice For:



Strong Action

✓ Strong analgesic & anti-inflammatory action



COX-2 Selectivity

✓ Preferential COX-2 inhibition → better
GI safety



Patient Compliance

✓ Long-acting → improved compliance



Versatile Application

Suitable for both acute & chronic ortho pain



Trusted Brand

✓ Trusted Human Orthocare anti-inflammatory formulation





Contact Us

Step into care that moves you forward.

Use with clinical discretion, especially in high-risk orthopedic conditions.

HumAn Orthocare – A Subsidiary of Human Biolife India Pvt. Ltd.

For medical queries or collaboration:



www.humanorthocare.com